

PHARMACHEM

FOR ANIMAL TREATMENT ONLY

TRIOCIL™

DIRECTIONS FOR USE:

Thoroughly wet the animal with water.

Apply TRIOCIL™ to coat and skin in amounts sufficient to effect a satisfactory lather.

Suggest approximately 50mL per litre of water for average size dog and 150mL per litre of water for horses.

Quantity will vary with length and condition of coat and with size of animal.

Leave on the coat for five minutes.

Rinse thoroughly, especially on white coats to remove all residual wash.

If condition persists, consult your veterinarian.

WITHHOLDING PERIODS:

MEAT WITHHOLDING PERIOD (HORSES):

Zero (0) days

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre.

Phone Australia 13 11 26



TRIOCIL™

**MEDICATED WASH FOR
DOGS & HORSES**



**ANTISEPTIC &
ANTIFUNGAL**

Active Constituent:
5g/L Hexetidine

A high foaming wash ensuring clean coats for prevention
and treatment of skin disorders in Dogs and Horses.

1Litre

TRIOCIL™

DISPOSAL:

250mL, 500mL and 1L

Dispose of container by wrapping with paper and putting in garbage.

STORAGE:

Store below 30°C (Room Temperature)

APVMA Approval Number:

37758/126111



pharmachem
CARING FOR YOUR CREATURE'S COMFORTS

Unit 6, 70 Fison Ave West, Eagle Farm QLD 4009

www.pharmachem.com.au

BATCH NO:

EXPIRY DATE: